

# SAFETY DATA SHEET

### 1. Identification

Product identifier **DRAMM BLEND VK-1** 

Other means of identification None.

ALL PROPER AND LEGAL PURPOSES Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Brenntag Great Lakes, Inc.

**Address** 4420 N. Harley Davidson Ave Suite A

Wauwatosa, WI 53225

Telephone 262-252-3550 Not available. E-mail

800-424-9300 **CHEMTREC Emergency phone number** 

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2 Specific target organ toxicity, repeated Category 2

exposure

Not classified. **Environmental hazards** OSHA defined hazards Not classified.

Label elements





Signal word Warning

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Suspected of causing **Hazard statement** 

cancer. May cause damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection/face protection. Wear protective

gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If Response

in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

Combustible.

Supplemental information 14.13% of the mixture consists of component(s) of unknown acute oral toxicity.

## 3. Composition/information on ingredients

#### Mixtures

Material name: DRAMM BLEND VK-1 SDS US

Chemical name	Common name and synonyms	CAS number	%
METHANE, DICHLORO-		75-09-2	85.8713
Other components below reportable	le levels		14.1287

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

Ingestion

delayed

Indication of immediate medical attention and special treatment needed

General information

Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Foam. Dry chemicals. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

nt Self-

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods
General fire hazards

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

# **Environmental precautions**

7. Handling and storage Precautions for safe handling

Avoid discharge into drains, water courses or onto the ground.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Material name: DRAMM BLEND VK-1

Store locked up. Keep away from heat and sources of ignition. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

IIS OSHA Specificall	y Regulated Substances	(29 CFR	1910 1001.	.1050\
US. USITA Specifican	v izedulated Substances	123 01 1	13 10, 100 1	

Components	Туре	Value	
METHANE, DICHLORO- (CAS 75-09-2)	STEL	125 ppm	
	TWA	25 ppm	
<b>US. ACGIH Threshold Limit Values</b>			
Components	Туре	Value	
METHANE, DICHLORO- (CAS 75-09-2)	TWA	50 ppm	

### Biological limit values

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Specimen	Sampling Time
METHANE, DICHLORO- (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

## Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Form Liquid. Color **NOT LISTED** NOT LISTED Odor **Odor threshold** Not available. Not available. pН

Melting point/freezing point -138.97 °F (-94.98 °C) estimated / 999 °F (537.22 °C)

Initial boiling point and boiling

range

103.55 °F (39.75 °C) estimated

351.0 °F (177.2 °C) Flash point **Evaporation rate** Not available. Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

15.5 % estimated

Material name: DRAMM BLEND VK-1

SDS US 925789 Version #: 02 Revision date: 05-09-2015 Issue date: 03-30-2015

Flammability limit - upper

(%)

66.4 % estimated

Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available.

579.88 hPa estimated Vapor pressure

Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 1033 °F (556.11 °C) estimated

Not available. **Decomposition temperature Viscosity** Not available.

Other information

11.06 lbs/gal estimated Density

**Explosive properties** Not explosive.

Combustible IIIB estimated Flammability class

**Oxidizing properties** Not oxidizing. 85.87 % estimated Percent volatile 1.33 estimated Specific gravity VOC (Weight %) 85.87 % estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation May cause damage to organs through prolonged or repeated exposure by inhalation.

Causes skin irritation. Skin contact

Eye contact Causes serious eye irritation.

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Dizziness. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness,

swelling, and blurred vision. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

Harmful if swallowed. Acute toxicity

**Species Test Results** Components

METHANE, DICHLORO- (CAS 75-09-2)

Acute Inhalation

LC50 Guinea pig 11600 ppm, 6 Hours

40.2 mg/l, 6 Hours 14400 ppm, 7 Hours 56.23 mg/l, 7 Hours

Material name: DRAMM BLEND VK-1

Mouse

SDS US 925789 Version #: 02 Revision date: 05-09-2015 Issue date: 03-30-2015

Components	Species	Test Results	
		51.5 mg/l, 2 Hours	
		49.1 mg/l, 6 Hours	
	Rat	2000 mg/l, 15 Minutes	
		88 mg/l, 900 Days	
		79 mg/l, 2 Hours	
		52 mg/l, 6 Hours	
LD50	Mouse	16000 ppm, 7 Hours	
Oral			
LD50	Rat	1600 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer. IARC Monographs. Overall Evaluation of Carcinogenicity

> METHANE, DICHLORO- (CAS 75-09-2) 2A Probably carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

METHANE, DICHLORO- (CAS 75-09-2) Cancer US. National Toxicology Program (NTP) Report on Carcinogens

METHANE, DICHLORO- (CAS 75-09-2) Reasonably Anticipated to be a Human Carcinogen.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful. Prolonged exposure may cause chronic effects.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment. Test Results Components **Species** 

METHANE, DICHLORO- (CAS 75-09-2)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 1250 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 140.8 - 277.8 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

METHANE, DICHLORO-1.25

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: DRAMM BLEND VK-1 925789 Version #: 02 Revision date: 05-09-2015 Issue date: 03-30-2015

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

**UN** number UN1593

UN proper shipping name DICHLOROMETHANE MIXTURE

Transport hazard class(es)

6.1 Class Subsidiary risk Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**ERG** number

DOT information on packaging may be different from that listed.

#### DOT



## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

METHANE, DICHLORO- (CAS 75-09-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

METHANE, DICHLORO- (CAS 75-09-2) Cancer Heart

Central nervous system

Liver Skin irritation Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: DRAMM BLEND VK-1

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.METHANE. DICHLORO-75-09-285.8713

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

METHANE, DICHLORO- (CAS 75-09-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### US state regulations

## US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

METHANE, DICHLORO- (CAS 75-09-2)

#### **US. Massachusetts RTK - Substance List**

METHANE, DICHLORO- (CAS 75-09-2)

### US. New Jersey Worker and Community Right-to-Know Act

METHANE, DICHLORO- (CAS 75-09-2)

## US. Pennsylvania Worker and Community Right-to-Know Law

METHANE, DICHLORO- (CAS 75-09-2)

#### US. Rhode Island RTK

METHANE, DICHLORO- (CAS 75-09-2)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

METHANE, DICHLORO- (CAS 75-09-2) Listed: April 1, 1988

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 03-30-2015

 Revision date
 05-09-2015

Version # 02

Material name: DRAMM BLEND VK-1 sps us

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

HMIS® ratings Health: 2\*

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

**Disclaimer**BNA cannot anticipate all conditions under which this information and its product, or the products

of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.

Revision Information Hazard(s) identification: Prevention

Physical and chemical properties: Color

Physical and chemical properties: Oxidizing properties

Physical and chemical properties: Odor

Physical and chemical properties: Explosive properties

Material name: DRAMM BLEND VK-1